



TYPE "A" DESIGN: FOR UNDIVIDED RAU-213.0 HIGHWAYS Δ Δ




TYPE "B" DESIGN: FOR UNDIVIDED RAU-211.0 HIGHWAYS Δ Δ



TYPE "C" DESIGN: FOR UNDIVIDED RAU-209 OR LOWER STANDARD HIGHWAYS WITH SHOULDER WIDTHS ONE METRE OR LESS Δ



SECTION A-A Δ



SECTION B-B Δ

NOTES: Δ Δ

- DIMENSIONS SHOWN ARE FINISHED SURFACE PAVEMENT WIDTHS. ADDITIONAL SUBGRADE WIDTHS TO BE PROVIDED TO ALLOW FOR DEPTH OF BASE COURSE AND PAVEMENT.
- ALL DIMENSIONS ARE EXPRESSED IN METRES UNLESS OTHERWISE NOTED.
- THIS SAFETY REST AREA IS INTENDED FOR BY ALL VEHICLES IN ONE DIRECTION ONLY.
- TOILET TO BE LOCATED APPROXIMATELY 12m FROM THE EDGE OF PAVEMENT AS PERMITTED BY RIGHT-OF-WAY LIMITS.

** NOTES REGARDING ACCELERATION/DECELERATION LANES:

- WHERE THE AADT < 1000, THE PARALLEL LANE SECTIONS FOR ACCELERATION AND DECELERATION ARE NOT REQUIRED.
- WHERE 1000 < AADT < 3000 STANDARD ACCELERATION LANES AS SHOWN ON TYPE "A" OR "B" SHOULD BE USED.

\diamond PROPOSED LIGHTING

Δ	TITLE, NOTES, CROSS SECTION REVISED AND TYPE D DELETED.	PM	27 MAY 2008
Δ	TITLE, NOTES, HWY CLASSIFICATION	PM	03/31/06
No.	REVISIONS	BY	DATE
Approved: ORIGINAL SIGNED BY PETER TAJCNER Director, Design Engineering Branch INFRASTRUCTURE AND TRANSPORTATION			
Date:	JUL 27 1999		
TYPICAL SAFETY REST AREA ON TWO LANE HIGHWAYS 20 YEAR AADT < 3000			
Prepared By: R.T.	Checked By: BK	Scale: N.T.S.	Dwg No.: CB6-2.3.M34A

OBSOLETE
SEE FIGURE F.2.3.3B